

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria,		22313-145	0
www.uspto.	gov		

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION			
09/887,778	06/22/2001	Carl M. Panasik	TI-32891	TI-32891 8711		
23494 75	90 09/27/2005		EXAMINER			
TEXAS INSTRUMENTS INCORPORATED			PEREZ, AN	PEREZ, ANGELICA		
P O BOX 65547			ART UNIT	PAPER NUMBER		
DALLAS, TX 75265		2684				
			DATE MAII ED: 09/27/2004	.		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applicat	ion No.	Applicant(s)			
Office Action Summary							
		09/887,7		PANASIK ET AL.			
		Examine		Art Unit			
Ť	he MAILING DATE of this commun	-	M. Perez	2684			
Period for R		iodion appears on a	ic cover sheet with the t	vorrespondence address			
THE MA - Extensior after SIX - If the peri - If NO peri - Failure to Any reply	TENED STATUTORY PERIOD F ILING DATE OF THIS COMMUNI s of time may be available under the provisions (6) MONTHS from the mailing date of this commod for reply specified above is less than thirty (3 od for reply is specified above, the maximum stareply within the set or extended period for reply received by the Office later than three months a stent term adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). In no e nunication. 0) days, a reply within the sta atutory period will apply and y will, by statute, cause the ap	vent, however, may a reply be ting atutory minimum of thirty (30) day will expire SIX (6) MONTHS from plication to become ABANDONE	mely filed ys will be considered timely. n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status				•			
1)⊠ Re	sponsive to communication(s) file	ed on <i>29 March 2005</i>	5.				
		2b)⊠ This action is					
3) <u>□</u> Sir	·—						
Disposition	of Claims						
4a) 5)□ Cla 6)⊠ Cla 7)□ Cla	aim(s) <u>1-27</u> is/are pending in the a Of the above claim(s) is/a aim(s) is/are allowed. aim(s) <u>1-27</u> is/are rejected. aim(s) is/are objected to aim(s) is/are subject to restrict	re withdrawn from co	,				
Application	Papers						
·	specification is objected to by the		_				
	e drawing(s) filed on is/are:		•				
•	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority und	er 35 U.S.C. § 119						
a)□ <i>A</i> 1.[2.[3.[Certified copies of the priority Certified copies of the priority	documents have be documents have be of the priority docum nal Bureau (PCT Ru	en received. en received in Applicat ents have been receive tle 17.2(a)).	ion No ed in this National Stage			
Attachment(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application (PTO-152) Paper No(s)/Mail Date 6) Other:							

Application/Control Number: 09/887,778 Page 2

Art Unit: 2684

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed Applicant's arguments, see amendment, pages 10-14 pages, filed 3/29/2005, with respect to the rejection(s) of claim(s) 16 and 22 under 103 (a) rejection have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Rainish et al. and Eklund et al. See rejection under 103 (a) presented below.

- 2. With respect to claims 1 and 10 filed 3/29/2005 have been fully considered but they are not persuasive.
- 3. In the remarks, the applicant argued in substance:
- (A) "...and disabling transmission of the data signal by the mobile station when the mobile station is in a shadow of the base station", (see page 10, paragraph 3).

In response to argument (A), the examiner cited "(figure 9; where the shadow is represented by the blocks obstructing the signal)". In addition, Rainish teaches where the disabling is performed by the mobile station; e.g., columns 1, 3 and 4, lines 24-28, 4-13 and 1-42, respectively. Thus, the specifications support shadowing caused by obstacles presented on the way between mobile station and base station; therefore, the prior art supports the rejection.

Art Unit: 2684

(B) "monitoring the signal to noise ratio (SNR) of the data signal received by the mobile station from the base station to provide a determination whether the mobile station is in a shadow of the mobile station" and "disabling...".

In response to argument (B), the examiner pointed Rainish's teachings on column, 1, lines 24-28. Columns 3 and 4, lines 4-13 and 1-42, respectively further elaborate the teachings of monitoring SNR in order to determine shadowing.

(C) "... 'that indicated a loss of at least one primary base station rake finger to provide a determination whether the mobile station is in a shadow of the base station' and ...".

In response to argument (C), the examiner would like to indicate that it is well known in the art that the loss of a at least one primary base station rake finger is an indication of loss of signal or shadowing.

(D) "...'detecting an abrupt change in signal delay received by the mobile station from the base station to provide an indication of whether the mobile station is in a shadow of the base station' and...".

In response to argument (D), the examiner would like to indicate that an abrupt change in signal delay is inherent indicator of shadowing.

(E) "...'all words in the argument must be considered...In re Wilson...", (page 12, paragraph 2).

In response to argument (E), the examiner agrees with applicant and has added the limitations to the corresponding rejected claims.

(F) "...misapplying the teachings of Eklund to the present invention...", (pages 12, and 13, paragraphs 3 and 1, respectively).

In response to argument (F), the examiner would like to point out that the preamble of the independent claims as broadly interpreted does not clearly identify the present invention of the application; therefore, the applicant has the right to broadly interpret and apply the art that reads on the claims.

(G) "...'examiner bears the burden of establishing a prima facie case of obviousness...", (page 13, paragraphs 3-4).

In response to argument (G), the examiner would like to point that Rainish and Eklund deal with methods or systems that utilize receivers that deal with signal interference in one form or another. From the detection and analysis of such signals Rainish and Eklund take advantage of the data in order to either save power by reducing reception time or reject the interfering signals in order to attain better quality reception followed by power saving.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

⁽a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claim 1-8, 10-14, 16-20 and 22-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rainish (Rainish et al., US Patent No.: 6,606,490 B1) in view of Eklund (Eklund et al., US Patent No.: 6,181,924 B1).

Regarding claims 1 and 10, Rainish teaches of a method of data communication between a base station and a mobile station over a wireless communication network (column 1, lines 14-18), the method comprising the steps of: transmitting a data signal between a mobile station and a base station (column 1, lines 21-24); monitoring the data signal received by the mobile station from the base station (column 1, lines 24-28); and disabling transmission of the data signal by the mobile station (column 1, lines 24-28; where "disabling transmission" corresponds to going to a "sleep phase"); detecting an abrupt change in signal delay received by the mobile station from the base station to provide an indication of whether the mobile station is in a shadow of the base station. an abrupt change in signal delay is an inherent indicator of shadowing (columns 1 and 2, lines 28-35 and 21-29, 42-52, respectively; where the sudden prolong delay detection indicates a signal is corrupted by shadowing among other factors);transmitting a signal from the base station to the mobile station that indicates a loss of at least one primary base station rake finger to provide a determination whether the mobile station is in a shadow of the base station (column 1 and 2, lines 28-35 and 21-29, 42-52, respectively, lines 33-36; where it is well known in the art that the loss of a at least one primary base station rake finger is an indication of loss of signal or shadowing).

Rainish does not specifically teach that the mobile station is in a shadow of the base station.

In related art regarding the method of rejecting interfering signals, where the mobile station is in a shadow of the base station teaches where the mobile station is in a shadow of the base station (figure 9; where the shadow is represented by the blocks obstructing the signal).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Rainish's disabling transmission applied to a mobile station in a shadow of the base station as taught by Eklund.

Regarding claim 2, Rainish in view of Eklund teaches all the limitations according to claim 1. In addition, Rainish teaches where the step of monitoring the data signal received by the mobile station from the base station comprises monitoring the signal to noise ratio (SNR) of the data signal received by the mobile station from the base station to provide a determination whether the mobile station is in a shadow of the base station (columns 6 and 7, lines 65-67 and 1-2, respectively).

Regarding claim 3. Rainish in view of Eklund teaches all the limitations according to claim 1. Rainish also teaches where the step of monitoring the data signal received by the mobile station from the base station comprises receiving a signal from the base station that indicates a loss of station rake fingers to provide a determination whether the mobile station is in a shadow of the base station (column 5, lines 23-25; where the rake receiver corresponds to the BS).

Regarding claim 4, Rainish in view of Eklund teaches all the limitations according to claim 1. Rainish further teaches the steps of monitoring the delay of the data signal received by the mobile station from the base station; and identifying an abrupt change in the delay received by the mobile station from the base station to provide an indication of whether the mobile station is in a shadow of the base station (column 1, lines 28-35; where the delay is one of the parameters considered as an indicator).

Regarding claims 16 and 22, Rainish in view of Eklund teaches all the limitations according to claim 1, 3 and 4.

Regarding claims 5, 11, 17 and 23, Rainish in view of Eklund teaches all the limitations according to claim 1. Rainish also teaches where the step of disabling transmission of the data signal by the mobile station when the mobile station is in a shadow of the base station comprises causing a transmitter associated with the mobile station to ramp down its power output until the mobile station transmitter enters an idle (off) state (column 4, lines 32-37 and 1-2; where a "sleep" mode corresponds to the "idle state").

Regarding claims 6, 12, 18 and 24, Rainish in view of Eklund teaches all the limitations according to claim 1. Rainish further teaches where the step of disabling transmission of the data signal by the mobile station when the mobile station is in a shadow of the base station comprises causing a transmitter associated with the mobile station to ramp down

its power output to achieve a power condition associated with a previous period of time (column 4, lines 34-41; where the "waking up" corresponds to the previous power condition).

Regarding claims 7, 13, 19 and 25, Rainish in view of Eklund teaches all the limitations according to claim 1. Rainish further teaches the step of enabling

transmission of the data signal by the mobile station when the mobile station is no longer in a shadow of the base station anal subsequent to disabling transmission of the data signal at a previous power level by the mobile station (column 4, lines 32-41).

Regarding claims 8, 14, 20 and 26, Rainish in view of Eklund teaches all the limitations according to claim 1. Also, Rainish teaches where the step of enabling transmission of the data signal by the mobile station subsequent to disabling transmission of the data signal by the mobile station comprises causing a transmitter associated with the mobile station to ramp up its power output until the mobile station transmitter output power level

reaches a previous power level (column 4, lines 34-41; where the increase in power occurs during the "waking up" period).

6. Claims 9, 15, 21 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rainish in view of Eklund as applied to claims 7, 13, 19 and 25 above, and further in view of Bergins (Bergins et al., Patent No. 6,564,071 B1).

Regarding claim 9, 15, 21 and 27) Rainish in view of Eklund teaches all the limitations according to claim 1.

Rainish does not specifically teach where the step of enabling transmission of the data signal by the mobile station subsequent to disabling transmission of the data signal by the mobile station comprises causing a transmitter associated with the mobile station to ramp up its power output until the mobile station transmitter output power level reaches the maximum power level.

Application/Control Number: 09/887,778

Art Unit: 2684

Page 9

In related art regarding transmission of data over a cellular telephone channel, Bergins teaches where the step of enabling transmission of the data signal by the mobile station subsequent to disabling transmission of the data signal by the mobile station comprises causing a transmitter associated with the mobile station to ramp up its power output until the mobile station transmitter output power level reaches the maximum power level (column 3, lines 13-21 and figure 2, items 203, 204 and 205; where the threshold determines a minimum and minimum level).

It would have been obvious to a one of ordinary skill in the art at the time the invention was made to combine Rainish's enabling transmission with Bergins' power level determinant in order to restart connection after a maximum power level is reached.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angelica Perez whose telephone number is 571-272-7885. The examiner can normally be reached on 7:00 a.m. - 3:30 p.m., Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone numbers for the organization where this application or proceeding is assigned are 571-273-8300 for regular communications and for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either the PAIR or Public PAIR. Status information for unpublished applications is available through the Private PAIR only. For more information about the pair system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Information regarding Patent Application Information Retrieval (PAIR) system can be found at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 2600's customer service number is 703-306-0377.

Page 11

Toloho Boy

TILAHUN GESESSE PRIMARY EXAMINER

Angelica Perez (Examiner)

Art Unit 2684

August 19, 2005